

Hemp Quality Assurance Testing CERTIFICATE OF ANALYSIS

DATE ISSUED 08/28/2024

SAMPLE NAME: 3000mg Full Spectrum - FEEL

Infused, Liquid Edible

CULTIVATOR / MANUFACTURER

Business Name: License Number: Address:

SAMPLE DETAIL

Batch Number: EV 04 Sample ID: 240819N029

DISTRIBUTOR / TESTED FOR

Business Name: Fsoil License Number: Address:

Date Collected: 08/19/2024 Date Received: 08/19/2024 Batch Size: Sample Size: 1.0 units Unit Mass: Serving Size:





Scan QR code to verify authenticity of results.

CANNABINOID ANALYSIS - SUMMARY

Total THC: **1.542 mg/mL** Total CBD: **103.940 mg/mL** Sum of Cannabinoids: 112.173 mg/mL

Total Cannabinoids: 112.119 mg/mL

Total THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during the decarboxylation step: Total THC = Δ^{9} -THC + (THCa (0.877)) Total CBD = CBD + (CBDa (0.877)) Sum of Cannabinoids = Δ^{9} -THC + THCa + CBD + CBDa + CBG + CBGa + THCV + THCVa + CBC + CBCa + CBDV + CBDVa Δ^{8} -THC + CBL + CBN Total Cannabinoids = $(\Delta^{9}$ -THC+0.877*THCa) + (CBD+0.877*CBCa) + (CBC+0.877*CBGa) + (THCV+0.877*THCVa) + (CBC+0.877*CBCa) + (CBCV+0.877*CBCa) + (CBDV+0.877*CBCa) + (CBDV+0.877

Density: 0.9551 g/mL

For quality assurance purposes. Not a Regulatory Hemp Lab Test Report. These results relate only to the sample included on this report. This report shall not be reproduced, except in full, without written approval of the laboratory.

Sample Certification: California Code of Regulations Title 4 Division 19. Department of Cannabis Control Business and Professions Code. Reference: Sections 26100, 26104 and 26110, Business and Professions Code.

Decision Rule: Statements of conformity (e.g. Pass/Fail) to specifications are made in this report without taking measurement uncertainty into account. Where statements of conformity are made in this report, the following decision rules are applied: PASS - Results within limits/specifications, FAIL - Results exceed limits/specifications.

References: limit of detection (LOD), limit of quantification (LOQ), not detected (ND), not tested (NT)



Approved by: Josh Wurzer Job Title: Chief Compliance Officer Date: 08/28/2024

Amendment to Certificate of Analysis 240819N029-001

SC Laboratories California LLC. | 100 Pioneer Street, Suite E, Santa Cruz, CA 95060 | (866) 435-0709 | sclabs.com | C8-0000013-LIC | ISO/IES 17025:2017 PJLA Accreditation Number 87168 © 2024 SC Labs all rights reserved. Trademarks referenced are trademarks of either SC Labs or their respective owners. MKT0002 REV9 2/22 CoA ID: 240819N029-002 Summary Page



Hemp Quality Assurance Testing CERTIFICATE OF ANALYSIS



3000MG FULL SPECTRUM - FEEL | DATE ISSUED 08/28/2024

Cannabinoid Analysis

Tested by high-performance liquid chromatography with diode-array detection (HPLC-DAD).

Method: QSP 1157 - Analysis of Cannabinoids by HPLC-DAD

TOTAL THC: 1.542 mg/mL

Total THC (Δ^9 -THC+0.877*THCa)

TOTAL CBD: 103.940 mg/mL

Total CBD (CBD+0.877*CBDa)

TOTAL CANNABINOIDS: 112.119 mg/mL

 $\begin{array}{l} \mbox{Total Cannabinoids (Total THC) + (Total CBD) + } \\ \mbox{(Total CBG) + (Total THCV) + (Total CBC) + } \\ \mbox{(Total CBDV) + Δ^8-THC + CBL + CBN } \end{array}$

TOTAL CBG: 1.098 mg/mL

Total CBG (CBG+0.877*CBGa)

TOTAL THCV: ND

Total THCV (THCV+0.877*THCVa)

TOTAL CBC: 3.664 mg/mL

Total CBC (CBC+0.877*CBCa)

TOTAL CBDV: 0.458 mg/mL

Total CBDV (CBDV+0.877*CBDVa)

CANNABINOID TEST RESULTS - 08/22/2024

COMPOUND	LOD/LOQ (mg/mL)	MEASUREMENT UNCERTAINTY (mg/mL)	RESULT (mg/mL)	RESULT (%)
CBD	0.004/0.011	±3.8627	103.557	10.8425
CBC	0.003/0.010	±0.1180	3.664	0.3836
∆ ⁹ -THC	0.002/0.014	±0.0847	1.542	0.1614
CBN	0.001/0.007	±0.0362	1.263	0.1322
CBG	0.002/0.006	±0.0533	1.098	0.1150
CBDV	0.002/0.012	±0.0187	0.458	0.0480
CBDa	0.001/0.026	±0.0124	0.437	0.0458
CBL	0.003/0.010	±0.0057	0.154	0.0161
∆ ⁸ -THC	0.01/0.02	N/A	ND	ND
THCa	0.001/0.005	N/A	ND	ND
THCV	0.002/0.012	N/A	ND	ND
THCVa	0.002/0.019	N/A	ND	ND
CBDVa	0.001/0.018	N/A	ND	ND
CBGa	0.002/0.007	N/A	ND	ND
CBCa	0.001/0.015	N/A	ND	ND
SUM OF CANNABINOIDS			112.173 mg/mL	11.7446%

DENSITY TEST RESULT

0.9551 g/mL

Tested 08/22/2024

Method: QSP 7870 - Sample Preparation

NOTES

Reason for Amendment: Order Detail Information Change